

IAU Centre for the Protection of the Dark and Quiet Sky from Satellite Constellation Interference

Mike Peel

Open Universe


2 April 2025






Space is changing rapidly

- 8500+ satellites in Low Earth Orbit
- Plans for > 1,000,000 satellites by 2030s
(maybe ~50,000-100,000 actually launched)
- Major concerns:
 - Effects on optical astronomy
 - Effects on radio astronomy
 - Effects on the night sky
 - Space traffic management
 - Space debris





Increasing numbers of satellites





Many different satellite constellations

- Starlink (US, ~7,000 satellites, ~35k more expected)
- OneWeb (UK/EU, ~650 satellites, Gen 1 completed, Gen 2 coming...)
- Amazon Kuiper (US, 2 test satellites launched, many more coming)
- AST SpaceMobile (US, 6 so far, ~200 expected)
- Qianfan (China, ~70, many more coming)
- Guowang (China, ~20, many more coming)
- ...



Optical impact ("Dark")



Impact on the night sky




Pentre Ifan burial chamber, Pembrokeshire, Wales - Max Alexander "Our Fragile Space"





Satellites during twilight

- Sunlight can be reflected by satellites' bodies in a diffuse way
- Depends on: area, materials, altitude, attitude, ...
- Brighter than magnitude 7 is visible with the naked eye
- Brightest during early evening and early morning




Credit: SpaceX



Effects on optical astronomy

- Satellite streaks can cause unusable data
- Impacts to science include:
 - Asteroids: best time to spot them is during twilight
 - Variable stars: lost time series
 - Dark Matter weak lensing: subtle distortions to the shapes of galaxies
 - Spectroscopy: contamination by reflected sunlight
 - Extreme brightness can cause damage to optics



Credit: CTIO/NOIRLab/NSF/AURA/Decam DELVE Survey



Impact on optical observatories

- Narrow field
 - Gemini, Keck, ESO's VLT, ELT
 - ~10% of frames at the end of astronomical twilight
- Wide-field
 - Blanco, VST
 - 50% of frames during twilight
- Super-Wide-field:
 - Rubin Observatory
 - ~ all image frames during twilight
 - Many frames - during whole nights



Credit: NOIRLab





Accidental optical light


Up to $V=3$ in parking orbits. **Need 7th magnitude** or better (higher magnitudes are fainter).

Significant effect on future optical telescope surveys like LSST with Vera C. Rubin Observatory. Even seen with Hubble...

Starlink satellite size has been limited by Falcon 9 rocket, but Starship will enable them to launch more, bigger ones soon - hopefully with improved mitigations...



SATCON2 algorithms report




Bassa et al.
arXiv:2108.12335

Satellite	Operational altitude [km]	Mag at op. alt.	Mag dispersion	Mag at 1000km
Starlink original	550km	4.6	0.7	5.9
		4.0	0.7	5.3
		4.2	(model)	5.5
Starlink DarkSat	550km	5.1	(single)	6.4
Starlink VisorSat	550km	6.2	0.8	7.5
		5.8	0.6	7.1
OneWeb	1200	7.6	0.7	7.2



Satellites' Impact on Space-based Astronomy


Satellite trails in HST individual exposures (Kruk et al. 2023, NatAs, 7, 262)







AST SpaceMobile Bluewalker 3 observations

- Launched 10 September 2022
- Observations by CPS members
- Apparent magnitude 0.4
- CPS recommendations are maximal brightness of 7
- AST SpaceMobile working to address concerns
- Extra bright due to its phased array of antennas (8x8m white platform)





BlueWalker3: optical bright, also thermally bright?




- 64m^2 phased array, prototype for mobile phone connections using standard phones + satellite
- Optical measurements show it to be brighter than all except top 10 stars (Nandakumar et al., Nature, 2023)
- (+ launch vehicle adapter bright & untracked for first few days, + position predictions degrade over time)
- Thermal brightness unknown: have SCUBA2/JCMT time to observe ISS + BW3, observations later this year




New types of satellites continually launched

- Starlink direct-to-cell, lower altitude and larger, V mag ~4–5 (5x brighter than higher smaller counterparts, despite mitigations)
- AST SpaceMobile, 5 BlueBirds launched Sep 2024, V mag ~7 pre-unfurling
- NASA solar sail demo launched Aug 2024, tumbling, V mag oscillating from ~0 to ~8 (drag devices may also be thermally bright?)



Starlink V2 mini direct-to-cell (Tom Williams)




BlueBird rendition (AST SpaceMobile)



Rubin Observatory CCDs


IAU CPS recommendation



Crosstalk Correctable with <10%
Error = 5,000 peak electron count
= 7-8th magnitude*

Faint brightness science affected


Current Starlinks



Saturation/ "Correctible" with large
Error = 100,000 electrons =
4th mag

Most science programs affected

BlueWalker 3



Blooming/ Not Correctable =
1 Million electrons = 0-1 Mag




Radio impact ("Quiet")



Radio spectrum is regulated and very crowded

Bright yellow boxes
on this chart are
frequencies
reserved for
radio astronomy
(often shared).

Radio astronomy
observes at all
frequencies - has to
work around active
transmissions (often
called 'radio frequency
interference' - but not
legally interference)



NTIA




Satellite constellations

Satellites have always been an issue for radio astronomy.

West Ford (1961-63) launched 480,000,000 2cm-long dipoles to reflect 8GHz (3.5cm) signals, some still in orbit - only stopped because of a global outcry.

The Iridium satellite constellation interferes with radio astronomy observations at 1.6GHz in the protected band

Satellite constellations transmit around ~12GHz...




Project West Ford deployer.
CC-BY-SA-4.0, GeneralNotability, via
Wikimedia Commons

Transmissions regulated by ITU, with protections for radio astronomy at some frequencies, but only for narrow bandwidths.




Potential impact at radio frequencies

- We don't know much yet - need observations to assess actual impact
- Active 10-20GHz transmissions - plus 40GHz soon? (and octaves!)
- (Latest Starlink filing of ~30k satellites from Tonga is 120-180GHz!)
- Sidelobe coupling also a concern, particularly for CMB experiments
- Difficult to filter out with broadband detectors, unless using FPGAs
- Highly variable - need to accurately know satellite positions, or see as transients?




Can use simple satellite dishes with raspberry pi's and HackRF digitisers to observe them!






Impact on radio observations

Observations from QUIJOTE telescopes from Teide Observatory (Tenerife)



- Taken in 2014
- Shows bright band of geostationary satellites





- Taken in 2024
- Additional interference (red dots) caused by Starlink satellites



Unintended emission at low frequencies

- LOFAR sees Starlink passing overhead!
- Unintended emission from back-end electronics seen at ~150-180MHz
- Not permitted bands for transmitting...
- Di Vruono et al. (2023), A&A (published), arXiv:2307.02316
- (Also Grigg et al., 2023, 2309.15672)








Example from SPT3G - Thermal Emission

(with thanks to Allen Foster)

Even if not actively emitting RF signal, satellites can be millimeter bright!



LVM3 Upper stage : 4m diam. x 13.5m long



* observed both in direct sunlight and in Earth's shadow




Mitigations



Mitigations: Satellites



- Fewer satellites
- Materials engineering: coatings (specular reflectivity)
- Attitude control (minimise reflections)
- Reflectivity simulation and testing labs (growing need)
- Steerable radio beams (enable direct illumination avoidance)
- Minimise sidelobe emission
- Control of unintended electromagnetic radiation





Mitigations: Telescopes

- Observations planning
- Software to avoid satellites
- Closing telescope shutter when satellite overhead
- More resilient receivers
- Observations to verify mitigations
- Redoing observations
- Modelling / Simulations
- Post processing of data (masking)



Hasan et al. (2022)



IAU CPS



CPS

- Centre for the Protection of Dark and Quiet Sky from Satellite Constellation Interference - <https://cps.iau.org/>
- Centre of expertise of the International Astronomical Union, hosted by the **SKAO**, an international radio astronomy observatory, and **NOIRLab**, the US national optical observatory
- International cooperation among software engineers, observers, astronomers, satellite industry folk, policy experts, space lawyers, government officials
- Our **mission**:
coordinate efforts and unify voices across the global astronomical community to protect the dark and quiet sky from satellite constellation interference.
- Four hubs: SatHub, Policy, Community Engagement, Industry & Technology






SatHub

- Satellite observation and data analysis hub of IAU CPS
- A collaboration among pro astronomers, experienced amateurs, policymakers, industry experts, satellite operators, and more
- Open source **software development and data repositories**, with substantial contributions from NOIRLab, SKAO, and others
- Volunteer-led **observations and research projects** on satellite constellation interference and mitigation **across the electromagnetic spectrum**



IAU CPS SatHub Aims

- **Assess constellation impact on optical and radio astronomy** via independent observation campaigns and peer reviewed publications
- **Strengthen relations** with key players:
Privateer, The Exocore, Slingshot Aerospace, European Centre for Space Safety, The Aerospace Corporation, AST SpaceMobile, SpaceX, Amazon Kuiper, Planet Labs, and more
- **Develop mitigation tools for astronomers/observatories**
 - **SatChecker** satellite position prediction service
 - Satellite Constellation Observation REpository (**SCORE**)
 - NSF SWIFT-Sat: Field-Of-View / active satellite avoidance service
 - Radio astronomy impact modeling (SCEPTER)
- **Coordinate mitigation efforts** with all stakeholders





Industry and Technology Hub


- Foster collaboration between the astronomy and satellite communities
- Outreach to satellite constellation operators
- Development of tools and best practices
- Promote ongoing mitigation solutions, resources
- Membership at no cost for satellite stakeholders



Community Engagement

- Bridge between all stakeholders and communities
- Engage stakeholders to solicit their opinions
 - Community forums - for unheard voices
- Create activities for general public to understand issues
 - Developed SatCon 101 video lectures

We ensures all stakeholders' voices are part of the broader discussion.





SatCons 101

- Series of 8 learning modules covering:
 - Satellite design
 - Environmental impacts
 - Effects on optical and radio astronomy
 - Cultural impacts
 - The current policy climate
 - Potential satellite mitigations
- Introduces issues of satellite constellations for astronomy to the general public





Policy Hub

1. **Raise awareness** of astronomy requirements in space policy-making circles
2. **Coordinate policy work** conducted by national societies and observatories
3. **Foster the development of better regulation**, in coordination with national points of contact
4. **Coordinate spectrum management processes**, along with emerging optical-related issues
5. Identify **future threats**

Strategic Outcomes

Astronomy community acts together with aligned messages

We produce policy outputs and contribute to policy change

Industry is aware of the issue and of the solutions

Policy makers are aware of the issue and of the solutions



Policy





UN Committee on the Peaceful Uses of Outer Space

- Dark and Quiet Skies agenda item in the Scientific and Technical Subcommittee (STSC)
- Group of Friends for the Dark and Quiet Skies for Science and Society, which aims to:
 - Promote awareness
 - Support/Review best practices and mitigation suggestions
 - Discuss the overall implications of the adoption of mitigating measures
 - Discuss approaches for coordination between the various stakeholders

(Includes Brasil!)





International Telecommunication Union (ITU)

- WRC-27:
 - AI 1.16: to address impacts on RAS bands and Radio Quiet Zones from satellite systems
 - AI 1.18: EESS and RAS above 76 GHz
 - AI 1.15: use of radiocommunications in the cislunar space
- Report on UEMR (ongoing at WP7D)
- Resolution 219 (Bucharest 2022) and Resolution ITU-R 74: Sustainable use of spectrum and space orbits





National regulations


- United States imposes coordination with NSF to obtain licences
- Licensing conditions for operators in South Africa (ongoing discussions)
- Efforts in Space Sustainability include Dark and Quiet Skies:
 - ESA Zero Debris charter and the Zero Debris Booklet
 - UK Earth Space Sustainability Initiative
 - Switzerland Space Sustainability Rating
 - EU Space Label
 - ...



Conclusions

- Rapidly increasing numbers of satellites...
- Significant impact on optical, submm, radio astronomy
- CPS working to quantify their impact
 - We need more satellite brightness observations in SCORE!
- Policy approaches under way
- (The situation in the US is looking bleak...)
- Needs a global solution, crucial for global majority views to be heard
- If you're interested, please join CPS!

Questions?



Falle et al. (2023), "One million (paper) satellites", Science

<https://cps.iau.org>

m.peel@imperial.ac.uk



